UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/502,014	07/20/2004	Tsukasa Aga	Q82625	8458
23373 SUGHRUE MI	7590 11/18/200 ON, PLLC	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W.			CHEUNG, WILLIAM K	
SUITE 800 WASHINGTON, DC 20037			ART UNIT	PAPER NUMBER
			1796	
			MAIL DATE	DELIVERY MODE
			11/18/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/502,014	AGA, TSUKASA				
Office Action Summary	Examiner	Art Unit				
	WILLIAM K. CHEUNG	1796				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 12 Se	eptember 2008.					
	· · · · · · · · · · · · · · · · · · ·					
<i>;</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1 and 9-19</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 and 9-19</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) acce		Examiner.				
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:						
, ,	1. Certified copies of the priority documents have been received.					
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application 6) Other:						
1 apor 110(0)/main bato						

Art Unit: 1796

### **DETAILED ACTION**

1. In view of the amendment filed September 12, 2008, claims 2-8 have been cancelled, and new claims 13-19 have been added. Claims 1, 9-19 are pending.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3. Claims 1, 9-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oharu et al. (U.S. Patent No. 6,610,775) for the reasons adequately set forth from paragraph 11 of the office action of June 12, 2008.

Art Unit: 1796

 (currently amended): An aqueous water- and oil-repellent dispersion comprising:

- (A) a homopolymer or copolymer comprising at least one polymerizable compound having a perfluoroalkyl or perfluoroalkenyl group and an acrylate or methacrylate group, or a copolymer comprising said polymerizable compound and another compound copolymerizable therewith, and
- (B) a surfactant which comprises a cationic surfactant and a nonionic surfactant of the formula (I):

 $R^{1}O[CH_{2}CH(CH_{3})O]_{a}\text{-}(CH_{2}CH_{2}O)_{b}H \hspace{0.5cm} (I) \\$ 

wherein R<sup>1</sup> is a branched alkyl including a main chain having at least 5 carbon atoms and three or more side chains having a total of at least 3 carbon atoms in all side chains C<sub>13</sub> isotridecyl group represented by CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>CH

a is an integer of at least 3, and

b is an integer of 10 to 30.

Art Unit: 1796

11. (currently amended): An aqueous water- and oil-repellent dispersion comprising:

- (A) a homopolymer or copolymer comprising at least one polymerizable compound having a perfluoroalkyl or perfluoroalkenyl group and an acrylate or methacrylate group, or a copolymer comprising said polymerizable compound and another compound copolymerizable therewith, and
- (B) a surfactant which comprises a cationic surfactant and a nonionic surfactant of the formula (I):

 $R^{1}O[CH_{2}CH(CH_{3})O]_{a}$ - $(CH_{2}CH_{2}O)_{b}H$  (I)

wherein R<sup>1</sup> is a <u>branched alkyl including a main chain having at least 5 carbon atoms and three or more side chains having a total of at least 3 carbon atoms in all side chains C<sub>13</sub> isotridecyl group represented by CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>2</sub>C(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>C(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>C(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>C(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>C(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>CH(CH<sub>3</sub>)CH(CH<sub>3</sub>)CH(CH<sub>3</sub>)CH(CH<sub>3</sub>)CH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>2</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>CH(C<sub>3</sub>H<sub>5</sub>)CH<sub>3</sub>CH(C<sub>3</sub>H<sub>5</sub>CH(C<sub>3</sub>H</u>

a is an integer of at least 3, and b is an integer of 10 to 30,

Art Unit: 1796

wherein the polymerizable compound having the perfluoroalkyl or perfluoroalkenyl
group and the acrylate or methacrylate group is at least one compound selected from the group
consisting of (meth)acrylates represented by the formulas:

R1
Rf-SO2-NR²OCOCR³=CH2 (1)

Rf-(CH2)nOCOCR³=CH2 (2)

Rf-CO-NR²OCOCR³=CH2 (3)

OH
Rf-CH2CHCH2OCOCR³=CH2 (4)

OCOR³
Rf-CH2CHCH2OCOCR³=CH2 (5)

Rf-O-Ar-CH2OCOCR³=CH2 (6)

wherein Rf is a perfluoroalkyl or perfluoroalkenyl group having 3 to 21 carbon atoms,

R1 is a hydrogen atom or an alkyl group having 1 to 10 carbon atoms,

R2 is an alkylene group having 1 to 10 carbon atoms,

R3 is a hydrogen atom or a methyl group,

Ar is an aryl group which optionally has a substituent group, and

n is an integer of 1 to 10.

The prior art to Oharu et al. discloses a water dispersion type water and oil repellent composition comprising a polymer which essentially contains polymerized units of a (meth)acrylate having a polyfluoroalkyl group and polymerized units of a polymerizable monomer which essentially contains a polymerizable unsaturated group and a hydroxyl group (Abstract; col. 4, line 37-65), which appears to meet the instantly claimed component (A) of Claim 1.

Art Unit: 1796

```
F(CE<sub>2</sub>),CH<sub>2</sub>OCOCR==CH<sub>2</sub>,
  P(CF,),CH,CH,OCOCR,CH,,
 H(CF<sub>2</sub>)<sub>8</sub>CH<sub>2</sub>OCOCR=CH<sub>2</sub>,
 H(CF<sub>2</sub>)<sub>a</sub>CH<sub>2</sub>OCOCR—CH<sub>2</sub>,
 H(CF.), CH.OCOCR == CH.,
 H(CF2)3CH2CH2OCOCR-CH35
 F(CF),CH,CH,CH,OCOCR CH,
 FICE, CH. LOCOCR CH.,
 F(CE), CH, CH, OCOCR ***CH,
 F(CF<sub>2</sub>)<sub>12</sub>CH<sub>2</sub>CH<sub>2</sub>COOCR==CH<sub>2</sub>,
 F(CE<sub>2</sub>)<sub>1,4</sub>CH<sub>2</sub>CH<sub>2</sub>OCOCR***CH<sub>2</sub>,
F(CF<sub>2</sub>)<sub>cs</sub>CH<sub>2</sub>CH<sub>2</sub>OCOCR==CH<sub>2</sub>;
 (CF<sub>2</sub>)<sub>2</sub>CF(CF<sub>2</sub>)<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>OCOCR=CH<sub>2</sub>,
 (CF<sub>8</sub>)<sub>2</sub>CF{CF<sub>2</sub>)<sub>8</sub>CH<sub>2</sub>CH<sub>2</sub>GCOCR=-CH<sub>2</sub>,
 (CF<sub>3</sub>)<sub>2</sub>CF(CF<sub>2</sub>)<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CCOCR—CH<sub>2</sub>,
F(CF<sub>3</sub>)<sub>8</sub>SO<sub>2</sub>N(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>3</sub>OCOCR---CH<sub>3</sub>,
 F(CF_2)_{s}SO_{s}N(C_{s}H_{s})CH_{s}CH_{s}OCOCR ***CH_{s}, \\
 F(CF<sub>2</sub>)<sub>8</sub>SO<sub>2</sub>N(C<sub>2</sub>H<sub>2</sub>)CH<sub>2</sub>CH<sub>2</sub>OCOCR == CH<sub>2</sub>.
 FICE ) CONFICH CH. OCOCR CH.,
 (CF<sub>3</sub>)<sub>2</sub>CF(CF<sub>2</sub>)<sub>3</sub>(CH<sub>2</sub>)<sub>3</sub>OCOCR=CH<sub>2</sub>,
 (CF<sub>3</sub>)<sub>2</sub>CF(CF<sub>2</sub>)<sub>8</sub>CH<sub>2</sub>CH(OCOCH<sub>3</sub>)OCOCR=CH<sub>2</sub>,
 (CF4)-CF(CF5)-CH3CH(OH)CH-OCOCN=CH--
 (CF.),CF(CF.),CH.CH(OH)CH,OCOCR==CH.,
  FICE A CHICH-OCOCR = CH.,
 F(CF<sub>2</sub>)<sub>0</sub>CONECH<sub>2</sub>CH<sub>2</sub>OCOCR==CH<sub>2</sub>.
```

Oharu et al. further teach that the water and oil repellent composition also comprises a cationic surfactant (column 12, line 34-35) and a nonionic surfactant (column 2, line 41) having a general formula of

$$R^{10}O[CH_2CH(CH_3)O]_g$$
- $(CH_2CH_2O)_sH$ 

Formula 5

Wherein R<sup>10</sup> represents an alkyl group, an alkenyl group or an alkpolyenyl group having a carbon number of 8 or more, s represents an integer of from 5 to 50, and g represents an integer of from 0 to 20 (column 9, line 42-52), and further, the alkyl group, the alkenyl group or the alkpolyenyl group may be of a linear structure or a branched structure. In the case of a the branched structure, a secondary alkyl group, a secondary

alkenyl group or a secondary alkpolyenyl group is preferred (column 9, line 22-28), which appears to anticipate or render obvious the instantly claimed component (B) of Claim 1.

Oharu et als' general formula (Formula 5, column 9) wherein R<sub>10</sub>, which represents an alkyl group having a carbon number of 8 or more and may be of a linear structure or a branched structure (column 9, line 42-52) are seen to render obvious the limitation of the branched structure to methyl groups and incorporating three or more branches as instantly claimed. One of ordinary skill in the art would readily appreciate the teaching and be able to at once envisage the branched structure to methyl groups and employ three or more branches in the nonionic surfactant within the general formula.

As to Claims 9-10, a process of producing a water and oil repellent composition and a fiber or fiber fabric treated with the water and oil repellent composition are disclosed at column 26, line 9-12.

Regarding the ammonium compounds of claim 12, Ohara et al. (col. 12, line 24 to col. 13, line 15; col. 18, line 28) clearly disclose a list of ammonium compound as claimed. Ohara et al. (col. 18, line 28) clearly disclose using trimethyl monooctadecylammonium chloride in example 1.

The difference between the invention of claims 1, 9-19, and Oharu et al. is that Oharu et al. do not disclose the specific isotridecyl groups of claim 1.

However, the broad disclosure on the alky chain of the non-ionic surfactants of Oharu et al. (col. 9, line 42 to col. 10, line 11) clearly includes the isotridecyl groups

Page 8

Art Unit: 1796

being claimed. Applicants must recognize that Oharu et al. (col. 9, line 53-54) clearly disclose that R<sup>10</sup> may be of a linear structure or a branched structure. Oharu et al. (col. 9, line 62-63) clearly disclose that the specific compounds disclosed are only used as examples, and are not used to limit the scope of the compound (Formula 5). Motivated by the expectation of success of developing an oil repellent composition capable of imparting excellent heavy rain durability to an object to be treated (col. 1, line 5-16), it would have been obvious to one of ordinary skill in art to recognize that Formula 5 of Oharu et al. would generically include any branched groups having eight carbons or more (which also include the isotridecyl groups as claimed) to obtain the invention of claims 1, 9-19.

## Response to Arguments

4. Applicant's arguments filed September 12, 2008 have been fully considered but they are not persuasive. Although applicants argue that the specification contains unexpected results to show the criticality of the branched isotridecyl of the formula (I) of claim 1, the examiner disagrees because the "comparative data" as indicated the Declaration fails to indicate that the isotridecyl group of formula (I) contains "three or more side chains". Applicants must recognize that there are numerous isomers for the claimed isotridecyl group. Without indicating which of isotridecyl groups are used in the comparative study, the argued comparative data fails to show the criticality of the feature "three or more side chains" as claimed.

Applicants must recognize that an isotridecyl group can also have 1, 2, 3, 4, 5, 6, 7 or more branches that are not part of the claimed invention but still considered an

Art Unit: 1796

isotridecyl group. For example, the following structures as shown are just two examples of many isotridecyl groups in the form of an alcohol.

### Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1796

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William K. Cheung whose telephone number is (571) 272-1097. The examiner can normally be reached on Monday-Friday 9:00AM to 2:00PM; 4:00PM to 8:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David WU can be reached on (571) 272-1114. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1796

/William K Cheung/ Primary Examiner, Art Unit 1796

William K. Cheung Primary Examiner November 16, 2008